




330 OUTRAGE

LOA	33'0" (10.06 m) on centerline, from bow to engine mounting location
LOA with Platforms	33' 10" (10.31 m)
Beam	10' 2" (3.09 m)
Weight (dry, no engine)	9,800 lbs. (4,445 kg)
Weight (with engine, fuel and water)	13,225 lbs. (5,999 kg)
Maximum Weight Capacity	2,980 lbs. (1,352 kg)
Swamped Capacity	4,500 lbs. (2,041 kg)
Persons Capacity	14 (Category C) / 10 (Category B)
Maximum Horsepower	850 HP (634 kW)
Minimum Horsepower	600 HP (373 kW)
Maximum Engine Weight	1500 lbs. (680 kg)
Transom Height	30" (0.76 m)
Transom Angle	14°
Deadrise at Transom	23°
Fuel Capacity	300 gallons (1135 L)
Water Capacity	39 gallons (148 L)
Waste Capacity	6 ½ gallons (24.6 L)
Bridge Clearance (with hardtop)	8' 8" (2.64 m)
Bridge Clearance (with hardtop and radar)	9' 8" (2.95 m)



Standard Equipment

- All Rails Welded 316-L Stainless Steel
- All Hardware 316-L Stainless Steel

Deck/Cockpit

- 8" stainless steel cleats, Stern cockpit with gunnel board hawse pipe (2), anchor locker (1)
- 8" stainless steel pull-up cleat bow (2), mid-ship spring line (2), cross tie at transom (2)
- 29" cockpit depth
- Drink holders - stainless steel
 - 4 bow, 2 console lounge, 2 helm, 2 aft cockpit seat, 2 transom gunnels
- Coaming bolsters from bow to stern
- Heavy-duty rub rail
- Rails - Low profile interior midship and bow rails; cockpit toe rails, boarding ladders, leaning post
- Rod holders
 - Gunnel mounted Bow (4)
 - Aft cockpit starboard (3), port (2)
 - Transom box (4)
- Lighting - LED courtesy lighting
- Self-bailing cockpit sole

Transom Aft

- Integrated boarding platforms extensions (P&S)
- Recessed boarding ladder with grab rail on deck wing
- Nonskid walking surface across transom
- Self-draining motorwell
- Pull-up cleats on deck wing (P&S)
- Freshwater sprayer on starboard side
- Transom Door with positional hinge and latch
- Stern Eyes - 5/8"

Transom Box

- Livewell -on centerline.
 - 44-gallon capacity
 - Insulated, with gasketed acrylic lid
 - Blue interior gel coat and red LED lighting
 - 1100 GPH pump

- Storage compartment with 5-gal bucket (included) in aft port transom coaming
- Foldaway stern bench seat (2 person) with elevated backrest
- Speakers 7.7" (2)
- Rod holders (4)
- Acrylic transom door with friction hinges and stainless-steel latch
- Full bolster

Cockpit

- Molded fiberglass boarding/dive door with fold-out handrail with removable dive ladder with dedicated storage
- Hawse pipes (2) with 8" stainless steel cleat (2)
- Drink holder (2)
- Toe Rails (2)
- Gunnel mounted rod holders' starboard (3), port (2)
- Insulated in floor fishboxes (52 gallons) with pump out, P&S (2)
- Under gunnel rod rack on starboard side
- Fresh and raw water washdown on port side
- Speakers 7.7" (2)

Leaning Post

- Helm Bench Seating
 - Helm seats (2)
 - Folding armrests (3)
 - Molded in footrest with nonskid
 - Fold-down standing platform for improved visibility for captain and passenger.
- Aft facing seating (2) with drink holders (2) and grabrail
- Convertible work surface
- Cutting board with dedicated storage in aft port storage
- Insulated cooler storage (21-gallon) under aft facing seating
- Storage drawers (3) on port side of helm seating area
- Subwoofer 10" on port side

Helm Console

- Center helm layout, in front of port helm seat
 - Steering wheel - cast stainless steel with knob and tilt helm
 - Mercury DTS dual binnacle controls with push button start/stop controls
 - Joystick piloting control (if optioned)
 - Trim Tab control and indicator panel
 - Drink holders (2)
 - Stereo remote volume/mute knob
 - Simrad HS40 VHF wireless handset (if optioned)
 - Spotlight control overhead (if optioned)
 - Thruster control (if optioned)
- Platinum Grey fiberglass helm console
- 16" Display with an Electronics surface that accommodates dual displays
- Footrests molded into console, with non-skid
- Electronics switch panel with illuminated switches and remote circuit breaker panel
- Glovebox - locking, with gasket
- Dual storage tray with USB charging receptacle and 12V receptacle
- Compass with back lighting, overhead

Hardtop / Windshield System

- Custom powder coated frame integrated into the deck providing clean unobstructed walkways
 - Tempered glass windshield - curved forward glass with full height side glass
 - Forward power actuated vent
 - Windshield wiper with wash system and intermittent control
 - Model designators on side of frame
- Locking Electronics box above helm
- Lighting
 - Flood light, LED - bow area (1), cockpit (2)
 - Courtesy lights, Blue/White LED (4)
 - Chart dome light, Red and White LED
 - Navigation lights, LED flush mounted in hardtop
- Compass with back lighting
- Integrated lifejacket storage
- Outrigger ready
- Rod holders (5)
- Electric trumpet horn

Bow (lounger, seating, and storage)

- Lounge seat on front of console
 - 2 persons forward facing
 - Foldable armrests
 - Cup holders (2)
 - Grab rails (2)
- Lockable console front storage; holds 10 rods, optional 36-quart cooler, miscellaneous gear (optional scuba tank racks available for 4 tanks)
- Bow in floor fishbox (65 Gallons), insulated with overboard discharge
- Speakers 7.7" (2)
- Bow forward seating
 - Two forward facing lounges or inward facing seats
 - Full length grabrail
 - Drink holders (4)
 - Removable cushions
- Dry storage under bow seats
 - Drains overboard
 - Latches and hinges open with seat upholstery
 - Insulated
- Bow anchor locker with overboard drain
- Bow Eye - 5/8"

Head

- Vacu-Flush® toilet, holding tank, overboard discharge, and dockside pump-out
- Molded freshwater sink with pullout sprayer
- Vanity storage cabinet
- Storage areas under port and starboard walkway
- LED overhead light
- Acrylic entry door with lock
- Teak Step with handrail for entry and egress
- Molded sole with Teak flooring
- Opening porthole with screen

Seating

- Foldaway stern bench seat with elevated backrest (2 person)
- Aft facing cockpit seating (2 person)
- Helm and companion bench seat (2 person)
- Console forward lounge with fixed armrests (2 person)
- Forward port and starboard seats with forward-facing backrests (4 persons seated or 2 persons lounging)

Storage Compartments

- Bow anchor locker with drain
- Bow under bow seating port and starboard (2)
- Bow insulated in-floor storage/fish box with pump-out.
- Forward lounge storage
 - Lockable console front storage
 - Accommodates 10 rods, miscellaneous gear, or fenders
 - Optional scuba tank racks available for 4 tanks
- Lifejacket or general storage in overhead hardtop storage compartment
- Lockable electronics box in hardtop
- Lockable glovebox above helm
- Storage drawers (3) on port side of helm seating area
- Storage compartment with 5-gal bucket in aft port transom coaming
- Insulated cooler (21 gallon) under aft facing cockpit seat
- Insulated in-floor storage/fishboxes with pump-out, cockpit (2)
- Transom livewell (44-gallon), insulated
- Vanity Storage under head sink
- Storage areas under port and starboard walkway through Head
- Aft Bilge storage under mechanical access hatch

Electrical / Electronics / Stereo System

- DC System
 - 2 Engine and 2 House group 31 battery tray (4 total)
 - Dedicated location in aft mechanical space
 - Automatic charging relays with remote paralleling and battery switches
 - Battery charger – 30 Amp
- AC System
 - Shore Power Inlet – 30 Amp 125Volt
 - Galvanic isolator – 30 Amp
- Distribution and control
 - Main breaker panel at starboard side midship
 - Instrumentation & electrical switch panel at helm
- Stereo
 - Premium JL Audio DSP, multi zone system with hideaway receiver
 - JL Audio MM105-HR stereo with dash mounted stereo remote volume/mute knob
 - Wireless remotes (2)
 - Amplifier (800 Watts)
 - Speakers JL – M6 Sport white with gunmetal accent
 - Cockpit, transom box (2 x 7.7" coax)
 - Helm deck gunnels (2 x 7.7" coax)
 - Leaning Post (10" Subwoofer)
 - Bow gunnels (2 x 7.7" coax)
- Lighting
 - Navigation lights, LED, 2 Mile
 - Mechanical Area light Blue/White 24" LED
 - Lounge storage light Blue/White 24" LED
 - Livewell light Red LED
 - Head dome light, push lens LED
 - Hardtop Flood light Bow (1) and Cockpit (2)
 - Hardtop Chart light Red/White
 - Cockpit courtesy lighting Blue/White LED (7)
 - Under gunnel rope lighting (2)
 - Under hardtop light Blue/White (4)
 - Bow floor light (3)
- 16" Simrad NSS4 ELECTRONICS/NAVIGATION PACKAGE
 - Simrad NSS4 16" screen (GPS, Chart Plotter, Fish finder)
 - 600W bronze thru hull transducer
 - Integrated Mercury SmartCraft Connect
 - GPS Antenna (GS25) 15 N2K with Heading Sensor
 - Dual sounder transducer mount areas

Mechanical

- Propulsion
 - Dual 300 V8 DTS Dual Black Mercury with hydraulic power steering
 - Stainless steel propellers
 - 300-gallon fuel tank
 - Engine fuel/water separators (2)
 - SmarCraft Connect Mobile, key engine data on your smartphone
- Electric trim tabs with indicator
- Freshwater
 - 39-gallon tank
 - Sink in console (Head)
 - Transom shower
 - Anchor Washdown
 - Vacu-Flush® toilet
 - Pump – 3 GPM
- Raw water
 - Thru hulls/ supply and return
 - Cast bronze thru hulls (below waterline)
 - Cast stainless steel thru hulls (above waterline)
 - Livewell Pump – 1100 GPH
 - Washdown Pump – 4 GPM
- Drainage
 - Automatic bilge pumps 1200 GPH forward, 2000 GPH aft
 - Automatic high water bilge pump with alarm 2000 GPH aft
 - Shower Sump – 500 GPH
 - Self-Draining Deck with 2" cockpit drains (4)
 - Fishbox diaphragm pumps – 405 GPH (3)
 - Garboard Drain
 - Self-draining motorwell
- Waste
 - Electric Vacu-Flush® toilet
 - 6.5 Gallon holding tank
 - Overboard discharge and dockside pump-out
 - Tank full indicator alert
- Anchor system
 - Windlass 1000W
 - 200' rode with 25' chain
 - 22-pound stainless steel plow anchor
 - Anchor roller davit – polished stainless steel through hull

Materials

- Cockpit
 - Gelcoat: Whaler white, Platinum grey (Helm), Light Blue (Livewell)
 - Acrylic: Arctic White (Standard), Clear (Leaning post livewell), Black (Helm switch panel, e-box, helm storage lid, electronics face)
 - HDPE: Arctic White
 - Upholstery Material (Sea Grey):
 - Base: Spradling Castile Tawny
 - Accent: Spradling Simtex Carbon
 - Thread/Quilting: Poly Ash
 - Powder coat:
 - White: Sherwin Williams DB56-20026 Med Gloss Black
 - Black: Sherwin Williams DB58-60012, 2604 RAL 9010 White
 - Canvas: Sunbrella Black
- Head
 - Gelcoat: Whaler white
 - Teak: Natural
 - Starboard: Whaler White

Notable Options / Accessories

- 300 V8 DTS Black Dual Mercury with Joystick Piloting. Outboard docking system with joystick electronic steering, and electronic remote control (ERC).
- 300 V8 DTS Dual White Mercury with Joystick Piloting. Outboard docking system with joystick electronic steering, and electronic remote control (ERC).
- 300 V8 DTS Dual White Mercury Verado with hydraulic power steering
- 425 V10 DTS Dual Black Mercury Verado with hydraulic power steering
- 425 V10 DTS Dual White Mercury Verado with hydraulic power steering
- 425 V10 DTS Dual Black Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering, and electronic remote control (ERC).
- 425 V10 DTS Dual White Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering, and electronic remote control (ERC).
- Refrigerator 1.75cubic feet, 12/120V, with slide out drawers (Not available with Gyroscopic Stabilizer)
- 12-V receptacles at transom for electric reels / downriggers (2)
- Anchor windlass chain (150 ft.) replaces 200' rode and 25' chain
- Bow thruster (12V, 3kw)
- Bow tow eye - heavy duty polished stainless steel
- Factory installed GR31 AGM batteries
- First Mate Safety & Security System – Dual Engine (Includes Captain FOB and 3 passenger FOB's)
- First Mate Safety & Security FOB Kit – Includes additional Man Overboard (MOB) FOB's for additional passengers (Qty 4)
- Fold-down trolling seats (P&S)
- Leaning post livewell (21 gal.) - Converts current leaning post cooler into a livewell.
- Radial outriggers
 - Stainless steel base with full rotational & vertical control from inside helm deck (hardtop mounted)
 - 18' hybrid collapsible Outriggers
 - Rigging kit
- White rub rail with stainless steel insert
- Black rub-rail with stainless steel insert
- Yacht Tender Package (MUST BE SELECTED IF VESSEL WILL BE TOWED AS A YACHT TENDER) (MUST SELECT BOW TOW EYE OPTION)
 - Ball valves on fish box thru hulls
 - Clam shells over critical hull side thru hulls
 - Engine covers (2)
 - High water activated strobe light and horn
- Satellite radio (Sirius satellite receiver with antenna)
- Scuba tank racks (4) (Not compatible with Trolling motor option)
- Spotlight with remote control at helm (on hardtop)
- Table – Bow:
 - Removable fiberglass table with post
 - Maintenance free synthetic teak surface
 - Bow filler cushion
 - Canvas cover
 - Dedicated storage in bow lounge compartment
- Table – Aft cockpit:
 - Removable table with post
 - Teak table
 - Dedicated storage under mechanical access lid
- Underwater LED lighting: Transom mounted Blue (Qty 3)

- Fender Clips – Stainless steel, pull-out, flush mounted (Qty 4)
- Trolling motor pre-rig (not compatible with Scuba Tank racks)
 - 3 Group 31 battery trays inside forward lounge
 - Trolling motor panel with wiring
 - Battery charger

Gyroscopic Stabilizer

(SEAKEEPER) (NOT COMPATIBLE WITH 12/120V REFRIGERATOR)

- 2000 n-m-s gyro
- Two additional group 31 battery trays added to house system
- Shallow storage boxes (P&S) replace Storage drawers on port side of leaning post

Deluxe Electronics Simrad Package Dual 16" Displays

(COMBINES STANDARD ELECTRONICS WITH AN ACRYLIC DASH FOR INTEGRATED LOOK AND FUNCTIONALITY)

- Dual Simrad NSS4 16" MFDs (GPS, Chart plotter, Fishfinder)
- Custom black acrylic dash area integrated with illuminated switches
- Red accent lighting behind acrylic panel
- Integrated Mercury SmartCraft Connect

C-MAP® DISCOVER™ Chart Card

- Australia & New Zealand Continental
- Asia
- Africa & Arabic Sea
- Southern Europe
- Northern & Central Europe
- Central & West Europe
- South America & Caribbean

Radar – Open Array

- Simrad HALO 2004 50W Pulse Compression Radar with 48" Open Array Antenna

Radar – Open Array BIRD+

- Simrad HALO 3004 130W Pulse Compression Radar with 48" Open Array Antenna

Radar Dome

- Simrad HALO24 4kW 24" High-Definition Digital Dome

VHF Radio

- Simrad RS40 VHF Radio with AIS and HS40 wireless handset

Automatic Identification System (AIS) Transceiver

- Simrad RS40-B VHF Radio with AIS transmitter and receiver, and HS40 wireless handset
- Simrad NSPL-500 Antenna Splitter

Satellite Weather And Radio

(REQUIRES MONTHLY SUBSCRIPTION)

- Satellite radio Sirius satellite receiver with antenna
- Simrad WM-4 Sirius Marine Weather Receiver

Thru Hull Transducer

- 1000W thru hull transducer (B175 med)

Canvas Enclosure

(RIGID MAKROLON® WITH WHITE OR BLACK STAMOID® MATERIAL DEPENDING ON FRAME COLOR)

- Hardtop aft curtain, full beam aft enclosure behind helm seating
- Hardtop wing curtains and side enclosure, providing a full beam weather protection
- Storage Bag; Protective mesh bag for enclosure storage

Sunshade - Bow

- Black mesh covering bow seating positions
- Manual setup with dedicated storage in console front storage
- Attaches to hardtop along with collapsible poles (4) in forward bow
- Additional rod holders (2) added to forward bow

Sunshade Cockpit

- Black mesh covering cockpit seating positions
- Manual setup with dedicated storage in console front storage
- Attaches to hardtop and collapsible poles (2) in aft cockpit

Canvas Cover Package

(BLACK SUNBRELLA)

- Cockpit seatback cover
- Console cover
- Forward lounge cushion covers
- Helm seat cover
- Aft cockpit seat cover
- Storage garage cover

Colored Hulls

- Abaco Blue
- Fighting Lady Yellow
- Horizon Blue
- Ice Blue
- Jadestone
- Oyster Grey
- Platinum
- Sand Metallic
- Steel Blue
- Tectonic Silver
- Wasabi

Colored Hull Sides

(INCLUDES HULL SIDES WITH WHITE HULL BOTTOM)

- Classic Desert Tan
- Glacier Green
- Light Blue
- Platinum
- Abaco Blue

Painted Engine Accents

(CENTER STRIPE) (MUST SELECT COLORED HULL OPTION)

- Painted center stripe of engine cowl to match selected hull color

Colored Gelcoat Underside of Hardtop

- Abaco Blue
- Horizon Blue
- Platinum
- Steel Blue
- Classic Desert tan
- Glacier Green
- Light Blue

Graphics

(BOSTON WHALER LOGO, STRIPE)

- Black Graphics
- Blue Graphics
- Red Graphics
- Silver Graphics
- White Graphics
- Chrome Graphics with silver stripe

Colored Hardtop Frame

(MUST SELECT COLOR)

- Black
- White